

Hypersensitivity Pneumonitis Associated with Environmental Mycobacteria

**William Beckett M.D., Michael Kallay M.D., Akshay Sood
MBBS, Zhengfa Zuo, and Donald Milton MD**

doi:10.1289/ehp.7727 (available at <http://dx.doi.org/>)

Online 10 February 2005



GRAND ROUNDS IN ENVIRONMENTAL MEDICINE

Hypersensitivity Pneumonitis Associated with Environmental Mycobacteria

William Beckett¹ M.D., Michael Kallay M.D.¹, Akshay Sood MBBS²,
Zhengfa Zuo³, and Donald Milton MD³

(1) Pulmonary and Critical Care Division, Occupational Medicine Program and Finger Lakes Occupational Health Services, University of Rochester School of Medicine and Dentistry, Rochester, NY; and (2) Division of Pulmonary and Critical Care Medicine, Southern Illinois University School of Medicine, Springfield, IL, and (3) Harvard School of Public Health, Brookline, MA.

Address reprint requests to:

William Beckett M.D.

University of Rochester School of Medicine and Dentistry

Environmental Medicine

Room 4-5702, Box EHSC

601 Elmwood Ave

Rochester, N.Y. 14642

Tel.: 585-273-4964

Fax: 585-256-2591

Bill_Beckett@urmc.rochester.edu

Running title: Hypersensitivity Pneumonitis

Key Words: hypersensitivity pneumonitis; extrinsic allergic alveolitis; occupational lung disease; Atypical mycobacteria, nontuberculous mycobacteria, *M. chelonae*, *M. immunogenum*, metal working fluids, hot tub.

Supported in part by P30 ES01247, and the New York State Network of Occupational Health Clinics, New York State Department of Health. A conflict of interest was not reported.

Abbreviations with definitions used in the manuscript:

FEV₁ = Forced expiratory volume in 1 second in liters ; FVC = Forced vital capacity in liters;
D_LCO = diffusing capacity for carbon monoxide; rest O₂ sat = Oxygen saturation at rest; Exert
O₂ Sat = Oxygen saturation with exertion

Outline of Section Headers

Abstract

Case Presentation

Discussion

Conclusion

References

Table

Figure Legends

Figures

Abstract

A previously healthy man working as a machine operator in an automotive factory developed respiratory symptoms. Medical evaluation showed abnormal pulmonary function tests, a lung biopsy showed hypersensitivity pneumonitis, and his illness was traced to his work environment. His physician asked the employer to remove him from exposure to metal working fluids. Symptoms re-occurred when he was later re-exposed to metal working fluids, and further permanent decrement in his lung function occurred. Investigation of his workplace showed that five of six large reservoirs of metal working fluids (cutting oils) grew *Mycobacterium chelonae* (or *M. immunogenum*), an organism previously associated with outbreaks of hypersensitivity pneumonitis in auto making factories. His lung function has remained stable with complete removal from exposure. The employer, metal working fluid supplier, union, and the National Institute for Occupational Safety and Health were notified of this sentinel health event. No further cases have been documented in this workplace.